MAXUS

MAXUS
DELIVER 9

MAXUS DELIVER 9 RANGE

THE **PURE** DRIVING EXPERIENCE

HIGH EFFICIENCY AND LOW CONSUMPTION

- New Euro 6d Engine – D20
- 163 PS @ 4000
- 375Nm
- WLTP compliant
- Advanced ECO-Technology
- DPF warning indicator with Manual Regen function button
- Quieter NVH Solution



MAXUS DELIVER 9 offers the pure driving experience. Ask yourself, what's essential to you or your drivers' needs as they go about their daily business? If the answer is outstanding performance, high efficiency and superb reliability, no matter what the weather conditions, you've found your perfect match.



1. 2000 bar High Pressure Fuel System

2. Variable Swirl Valve

3. VGT Turbo Charger

4. HP-LP EGR Models

5. Water-Air Cooler

6. Split Cooling System

7. Off-Set Crankshaft

8. Two-Stage Variable Displacement Oil Pump

MAXUS Signature lense
8 Loading Eyes
236° Opening Angle
LED Signature Parking Lamp
Counter Sunk Lashing Rings
Non Slip Flooring
Rear Parking Sensors
Low Loading Step

DELIVER 9 MODEL

Standard Equipment

236° Opening Angle (with Limited Gemel)
8-direction Adjustable Driver's Seat with armrest
Adjustable non-Pretightening Belt
Air conditioning
Auto Latch (12mp/h)
Automatic Emergency Braking System
Automatic Off Headlights
B Column Full Steel Unglazed Partition
Central Lock
Cruise Control System
Driver and Passenger Safety Belt Buckle Reminder
Driver Seat Airbags + Adjustable non-Pretightening Belt
Duel Cargo light
Electric Front Windows
Electric Power Steering
ESP+EBA+BAS+HHC
Foldable Remote Control Key (1 Piece)
Front Body-Colour Bumper
Front Double Curtain Airbag
Front Passenger Airbags
FWD - Independent McPherson Strut Front Suspension
RWD - Independent McPherson Strut Front Suspension
FWD - Solid Axle Hodgkiss Dependant Suspension
RWD - Drive Axle Leaf Spring
Halogen Headlight
Halogen Rear Lamp
Ignition-off Auto Unlock
Intelligent Anti-theft Security System
Lane Departure Warning System
LED Daytime Running Lights
Manual DPF Regeneration button
Outside Rearview Mirror (Natural Colour) Electric
Multifunction steering wheel
Natural Colour Handles
Parking Sensor (Rear Only)
Passenger Adjustable non-Pretightening Belt
Radio+MP3+AUX+USB+Bluetooth
Rear Bumper Nature Colour
Seat Fabric (Knit/Gray)
Single-Side Sliding Door
Smoker Pack
Tie down points (8)
Wear Resistant Floor
Wheel Type (Steel with centre trim)
Driving Model (Power/Normal/Eco)
eCall
Engine Start/Stop
Rear Fog Lamp

DELIVER 9 LUXURY MODEL

Additional equipment in DELIVER 9 Luxury Model

+ 10 Inch Touch Screen
+ 16" Alloy Wheels
+ Adjustable Overspeed Alarm
+ Apple Carplay and Android Auto
+ Blind Area Monitoring System
+ Body Colour Handles
+ Chrome Front MAXUS Hexagonal Signature Grill
+ Electric Side Step (Optional)
+ Electronic Lock Control
+ Infotainment System
+ Lane Change Assist System
+ LED Headlights
+ LED Day Time Running Light
+ No Key Entry and Start System
+ Parking Sensor (front and back)
+ Reverse Camera with Guide Assist
+ Tyre Pressure Monitoring System
+ Visible Reversing Image

DELIVER 9 MODEL

Body Structure

All good things come in all shapes and sizes, the DELIVER 9 Panel van comes in 3 lengths with 4 roof heights. The DELIVER 9 also has 2 Chassis Cab Lengths to cater for a wide range of options.

For further information see the Deliver 9 specifications on pages 20 -21.

STANDARD CHASSIS (MC)



MEDIUM

LONG CHASSIS (LC)



LONG



SHORT / MEDIUM ROOF (SM)

MEDIUM / HIGH ROOF (MH)

LONG / HIGH ROOF (LH)

LONG / EXTRA HIGH ROOF (LXH)

Model		DELIVER 9	DELIVER 9 LUX
Configuration	**SAFETY CONFIGURATION**		
	Intelligent Anti-theft Security System	Y	Y
	Tyre Pressure Monitoring System	X	Y
	Lane Change Assist System	X	Y
	ESP+EBA+BAS+HHC	Y	Y
	Parking Sensor	Y	X
	Front and Rear Radar	X	Y
	Visible Reversing Image	X	Y
	Driver Seat Airbags	Y	Y
	Front Passenger Airbags	Y	Y
	Passenger Adjustable non-Pretightening Belt	Y	Y
	With eCall	Y	Y
	Automatic Emergency Braking System	Y	Y
	Lane Departure Warning System	Y	Y
	Blind Area Monitoring System	X	Y
	Front Double Curtain Airbag	Y	Y
	EXTERIOR AND INTERIOR		
	Single-Side Sliding Door	Y	Y
	Wheel Type	Steel	Alloys
	B Column Full Steel Unglazed Partition	Y	Y
	Non Automatic Front Wiper (No Bone)	Y	X
	Automatic Front Wiper (With Rain Sensor)	X	Y
Pack Options	**TRIM PACK**		
	Chrome Plated Radiator Grid	O	S
	Colour Coded Door External Handles	O	S
	Rear Number Plate Top Trim Colour Coded	O	S
	Instrument Panel hi level Chrome/Piano Black Trim	O	S
	Front Door Glass Lift Switch Chrome Plated	O	S
	Alloy Wheels (6.5jx16)	O	S
	Front Door Internal Handle Chrome Plated	O	S
	LIGHTING PACK		
	LED Headlights + LED Rear Signature Taillights	O	S
	2 LED Lights Cargo Area	O	S
	Front Fog Lamp	O	S
	SAFETY PACKS		
	Automatic Front Wiper (with rain sensor)	O	S
	Overspeed Alarm	O	S
	Front Proximity Parking Sensor	O	S
	Blind Area Monitoring System + Lane Change Auxiliary System	O	S
	Tire Pressure Monitoring System	O	S

Pack Option	**ENTERTAINMENT SYSTEM**		
	10-inch Touch Screen (MP5+USB+ Bluetooth +Mobile Phone Mirroring)+4 Speakers (Bass +Treble)+Reverse Camera	O	S
	CONVENIENCE PACK 1		
	Keyless Access and Start System + 2 Smart Keys + Electronic Lock Control	O	S
	CONVENIENCE PACK 2		
	Electric Side Step (N/S Sliding Door)	O	O
	COLOUR PACK		
	Metallic Paint (Factory Colour Options)	O	O
Configuration	**EXTERIOR AND INTERIOR**		
	Halogen Headlight	Y	X
	LED Headlight	X	Y
	Halogen Rear Lamp	Y	X
	With LED Rear Lamp	X	Y
	With Rear Fog Lamp	Y	Y
	With Front Fog Lamp	X	Y
	LED Position Lamp	Y	Y
	COMFORT AND CONVENIENCE		
	With Driving Model (Power/Normal/Eco)	Y	Y
	With Engine Start/Stop	Y	Y
	With PTO Interface(Link with RWD)	Y	Y
	Electric Power Steering	Y	Y
	Electronic Lock Control	X	Y
	Adjustable Over Speed Alarm	X	Y
	Air Conditioning	Y (Front)	Y (Front)
	Cruise Control System	Y	Y
	Electric Heating Outside Rear View Mirror (Natural Color)	X	Y
	Manual Outside Rear View Mirror (Natural Color)	Y	X
	Cigar Lighter	Y	Y
	No Key Entry and Start System	X	Y
	8-direction Adjustable Driver's Seat	Y	Y
	Seat Fabric (Knit/Gray)	Y	Y
	10 Inch Touch	X	Y
	Radio+MP3+AUX+USB+Bluetooth	Y	X
	Electric Front Windows	Y	Y
	With Automatic Induction Lamp	Y	Y
	Ignition-off Auto Unlock	Y	Y
	Auto Latch (20km/h)	Y	Y
	Central Lock	Y	Y
	236° Opening Angle (With Limited Gemel)	Y	Y
	Front bumper body-color bumper	Y	Y
	Rear Bumper Natural Color	Y	Y



BSD + LCA-BASE VERSION
The Lane Departure Warning System can determine whether the van is changing lane, even in low-visibility weather conditions. In the event of danger, an acoustic and visual signal alerts the driver of the potential impending threat.

STRUCTURE
9.2m laser welding, the longest in the industry. 54% high - strength steel and PHS. Accumulated 2 million kilometres of whole vehicle full environment test verification.

HIGH BEAM RECOGNITION
This manages the activation and deactivation of the main beam headlights, increasing visibility and reducing the risk of dazzling when driving at night, automatically recognising vehicles driving in the opposite direction.

ELECTRIC HEATED SIDE MIRROR
Heated electrically operated door mirrors ensure great rear visibility in all weather conditions.

TRACTION
Traction control system that improves the vehicle's traction on the most challenging surfaces with poor grip. Under conditions of low grip from any drive wheel, the control unit detects slipping and brakes it, transmitting the drive torque on the wheel with brakes, grip on the ground. In this way, the vehicle's performance is more comfortable.

EU MODEL	SM VAN	MH VAN	LH VAN	LXH VAN	LH VAN	LXH VAN	MC CAB	LC CAB
	FWD	FWD	FWD	FWD	RWD	RWD	RWD	RWD
Dimensions								
Overall length (A)	5180	5546	5940	5940	5940	5940	6200	6680
Overall width with mirrors (B)	2466	2466	2466	2466	2466	2466	2466	2466
Overall height (C)	2385	2555	2535	2755	2535	2755	2320	2320
Wheelbase (D)	3000	3366	3760	3760	3760	3760	3760	4048
Length cargo space (mm) (E)	2650	3019	3413	3413	3413	3413	3673	4153
Max width cargo space (mm)(F)	1800	1800	1800	1800	1800	1800	-	-
Max width cargo space between wheel arches (mm) (G)	1366	1366	1366	1366	1366	1366	-	-
Max height cargo space (mm) (H)	1724	1892	1892	2114	1792	2014	-	-
Slide door width (mm) (I)	1075	1269	1269	1269	1269	1269	-	-
Slide door height (mm) (J)	1560	1670	1670	1670	1570	1570	-	-
Turning radius (m)	12.1	13.4	14.8	14.8	14.1	14.1	14.1	15.2
Cargo volume (m^3)	8.13	10.2	11.55	12.91	10.97	12.33	-	-
Rear door entry width	1570	1570	1570	1570	1570	1570	-	-
Rear door entry height	1570	1756	1756	1964	1656	1864	-	-
Front overhang (mm) (K)	1020	1020	1020	1020	1020	1020		
Rear overhang (mm) (L)	1160	1160	1160	1160	1160	1160		
Rear step height (mm)								
Others								
Fuel tank capacity (Litres)	80	80	80	80	80	80	80	80
Number of seats	3	3	3	3	3	3	3	3
Max speed (km/h)	160	160	160	160	145	140	-	-
Max speed (mph/h)	100	100	100	100	90	87	90	90
Tyres	215/75R16C	215/75R16C	215/75R16C	215/75R16C	215/75R16C	215/75R16C	215/75R16C	215/75R16C
Tyre Load / Speed Index	121/119s	121/119s	121/119s	121/119s	121/119s	121/119s	121/119s	121/119s

"-" means the data is still under testing.



EU MODEL	SM VAN	MH VAN	LH VAN	LXH VAN	LH VAN	LXH VAN	MC CAB	LC CAB
	FWD	FWD	FWD	FWD	RWD	RWD	RWD	RWD
ENGINE								
Capacity (cc)					1996			
Cylinders/Volves					4/16			
Max power (kW / rpm)	120	120	120	120	120	120	110	110
Max torque (Nm / rpm)	375	375	375	375	375	375	375	375
Fuel system				D2.0L Turbo Diesel Direct Injection				
Euro status					Euro 6d			
Stop & Start System					Yes			
TRANSMISSION								
Gearbox					Manual			
Number of gears					6			
ECONOMY Litres/100km								
Low	-	-	-	-	11.2	11.2	-	-
Medium	-	-	-	-	9.1	9.2	-	-
High	-	-	-	-	8.5	8.8	-	-
Extra high	-	-	-	-	10.9	11.7	-	-
Combined	-	-	-	-	9.8	10.2	-	-
CO2 EMISSIONS (g/km)								
Low	-	-	-	-	294	292	-	-
Medium	-	-	-	-	239	241	-	-
High	-	-	-	-	222	231	-	-
Extra high	-	-	-	-	281	306	-	-
Combined	-	-	-	-	256	268	-	-
WEIGHTS								
Gross vehicle weight GVW (kg)	3500	3500	3500	3500	3500	3500	3500	3500
Kerb weight (kg) excluding driver	2140	2210	2260	2300	2360	2390	1980	2020
Max front axle load (kg)	1950	1950	1950	1950	1950	1950	1950	1950
Max rear axle load (kg)	1900	1900	1900	1900	2440	2440	2180	2180
Payload (kg)*	1360	1290	1240	1200	1140	1110	1520	1480
Gross train weights (GTW)	5500	6000	6000	6000	6000	6000	6000	6000
Towing capacity (braked) (kg)	2500	2800	2800	2800	2800	2800	2800	2800
Towing capacity (unbraked) (kg)	750	750	750	750	750	750	750	750
BRAKES Front/Rear					Front/Rear Disc Brake			

*Excludes Driver

MAXUS

Your local dealer

HARRIS GROUP

HARRIS AUTOMOTIVE DISTRIBUTORS U.C.

FIND US @ YouTube

MAXUS Disclaimer:
Images shown in this brochure are for illustration purposes only. Actual vehicles may differ and are subject to change.
Specifications, standard equipment, options, fabrics and colours are subject to change without notice.
Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost
or may not be available on certain models. Ask about availability of options and verify that the vehicle you ordered includes the equipment you ordered.
*5 year/125,000 mile (200,000 Kms) warranty and 5 years roadside assistance. Terms and conditions apply.

www.saicmaxus.co.uk **www.saicmaxus.ie**

MAXUS

MAXUS
eDELIVER 3
MAXUS
DELIVER 9

RETAIL PRICE UK

	Deliver 9 LH E6D 163ps	DELIVER 9 PV LH RWD LUX
MRRP	GBP £30,231.00	GBP £32,500.00
Factory Delivery	GBP £450.00	GBP £450.00
VAT	GBP £6,136.20	GBP £6,500.00
RFL and Registration Fee	GBP £315.00	GBP £315.00
OTR	**GBP £37,132.20**	**GBP £39,765.00**
	eDeliver3 L1 35kwh Battery	**e DELIVER 3 SWB 52.5kWh**
MRRP	GBP £30,000.00	GBP £33,000.00
Factory Delivery	GBP £450.00	GBP £450.00
VAT	GBP £6,090.00	GBP £6,600.00
RFL and Registration Fee	GBP £55.00	GBP £55.00
OTR	**GBP £36,595.00** (Subject to OLEV Grant at Current Rate)	**GBP £40,105.00** (Subject to OLEV Grant at Current Rate)

*SUBJECT TO GOVERNMENT GRANT APPROVAL.

THE PURE DRIVING EXPERIENCE

www.saicmaxus.co.uk

Call us on 0800 246 5888 | maxusfleet@saicmaxus.co.uk

MAXUS

MAXUS eDELIVER 9

MAXUS eDELIVER 3

MAXUS eDELIVER RANGE

THE **PURE** DRIVING EXPERIENCE

MAXUS

HIGH POWER LOW ENERGY MOTOR

MAXUS
eDELIVER 3



eDELIVER 3

ELECTRIC POWERTRAIN

HIGH POWER LOW ENERGY MOTOR
The maximum power is 90kW; the peak torque is 255N·m; the acceleration time of 0-100km/h is 11s.

PROVIDE DC + AC DUAL CHARGING MODE
DC mode: 45 minutes can charge 80% of electricity,80 minutes can be charged to 100%.

35kWh BATTERY

52.5kWh BATTERY

SAIC are the leaders in the technical revolution, continually leading the way in the development of new technology and solutions for the automotive industry.

A part of that revolution is being the market leaders in battery technology, we have developed a number of battery options for the eDELIVER 3, by using various battery cooling methods, which allows us to reduce charging time (DC 45mins (5%-80%) AC 5hrs), extend battery life and increase the operating range.

The eDeliver 3 comes with a 90KW /255Nm motor, AC/DC charging options and a choice of 35Kw or 52.5Kw battery configurations.

eDELIVER 3 MODEL

Standard Equipment

- 2 Driving Modes
- 3 Energy Recovery Modes
- 6 Cargo Area Floor Strapping Rings
- Cargo Area Partition (Optional With Glass)
- Daytime Running Lights
- Driver Airbag
- Driver Seatbelt Lock Reminder
- Electric Adjustment Of Outside Mirror
- Electric Power Assisted Steering
- Electric Windows
- ESC - Electronic Stability Control
- Front & Rear Ventilated Discs
- Front McPherson Independent Suspension
- Front Passenger Airbag

- 7 inch Screen
- Handbrake
- Immobiliser
- Multifunction Steering Wheel
- Rake Adjustable Steering Wheel
- Rear Leaf Spring Suspension
- Reversing Camera
- Rear Parking Sensors
- Stainless Steel Cargo Area Floor
- Ternary Polymer Lithium Battery

MAXUS e DELIVER 3	SWB 35kWh	SWB 52.5kWh	LWB 35kWh	LWB 52.5kWh	Chassis cab 52.5kwh
WEIGHTS					
GVM (kg)	2310	2460	2550	2630	2630
CVW (kg)	1455	1555	1530	1640	1428
Max front axle load (kg)	1170	1170	1170	1170	1180
Max rear axle load (kg)	1260	1460	1460	1460	1460
Payload (kg)	865	905	1020	990	1202
Max roof load (kg)	75	75	100	100	/
Towing capacity (unbraked) (kg)	/	/	/	/	/
ENGINE					
Drive type	RHD	RHD	RHD	RHD	RHD
Number of seats	2	2	2	2	2
Rated power/peak power (kW)	40/90	40/90	40/90	40/90	40/90
Rated torque/Max. torque (N.m)	125/255	125/255	125/255	125/255	125/255
Max speed (kmph /mph)	120/75	120/75	120/75	120/75	120/75
Acceleration 0-100km/h (sec)	11	12	12	13	TBC
GEAR RATIOS	**Internal Gearbox Ratios**	**Final Drive Ratios**	**Total Gear Ratio**		
Max CVT	N/A	N/A	N/A		
1	2.5	3.739	9.348		
Min CVT	N/A	N/A	N/A		
Reverse	2.5	3.739	9.348		
DIMENSIONS					
Dimension : L *W *H (mm)	4555X1780X1895	4555X1780X1895	5145X1780X1900	5145X1780X1900	5037X1780X1866
Wheel base (mm)	2910	2910	3285	3285	3285
Length cargo space (mm)	2180	2180	2770	2770	/
Max width cargo space (mm)	1665	1665	1665	1665	/
Max width cargo space between wheel arches (mm)	1220	1220	1220	1220	/
Max height cargo space (mm)	1330	1330	1330	1330	/
Slide door width (mm)	710	710	710	710	/
Slide door height (mm)	1230	1230	1230	1230	/
Turning radius (m)	5.87	5.87	6.53	6.53	6.53
Cargo volume (m^3)	4.8	4.8	6.3	6.3	/
CHARGING					
Charging time(AC 100%) h	6	8	6	8	8
Charging time (DC 80%) min	45	45	45	45	45
Battery capacity (kWh)	35	52.5	35	52.5	52.5
Energy consumption WLTP combined (Kwh/100km)	24.36kwh/100km	23.63kwh/100km	26.15kwh/100km	25.31kwh/100km	TBC
RANGE					
WLTP City Range	141 Miles/ 227 KMS	213 Miles/ 344 KMS	132 Miles/ 213 KMS	197 Miles/ 318 KMS	/
WLTP Combined Range	99 Miles/ 159 KMS	151 Miles/ 243 KMS	95 Miles/ 153 KMS	141 Miles/ 232 KM4	/

LOADING COMPARTMENT
eDELIVER 3

MAXUS
eDELIVER 3

eDELIVER 3 MODEL

3 years paint warranty
10 years anti - corrosion warranty

MAXUS continuously invests in the use of new materials, state-of-the-art painting and cutting-edge manufacturing processes to ensure our vehicles deliver for our customers today, tomorrow and for many years to come.

TWO SIZE OPTIONS

SWB (4555mm Overall Length)



Length (A)	4555
Width (B)	1780
Height (C)	1895
Wheel Base (D)	2910
Track - 1st axle (E)	1548
Track - 2nd axle (F)	1553
Front Overhang (G)	780
Rear Overhang (H)	865

LWB (5144mm Overall Length)



Length (A)	5145
Width (B)	1780
Height (C)	1900
Wheel Base (D)	3285
Track - 1st axle (E)	1548
Track - 2nd axle (F)	1553
Front Overhang (G)	780
Rear Overhang (H)	1080

MAXUS

eDELIVER 9

THE PURE

DRIVING EXPERIENCE

HIGH POWER 150KW LOW ENERGY MOTOR

MAXUS
eDELIVER 9



eDELIVER 9

ELECTRIC POWERTRAIN

HIGH POWER LOW ENERGY MOTOR

The Maximum Power is 150Kw , the peak torque is 310Nm" and change the 0-100kms/hr to 0-50kms/hr and the time from 11secs to 5.7secs.

PROVIDE DC + AC DUAL CHARGING MODE

DC mode: 45 minutes can charge 80% of electricity,80 minutes can be charged to 100%.

51.5KWH BATTERY

72kWh OR 88.55kWh BATTERY

SAIC are the leaders in the technical revolution, continually leading the way in the development of new technology and solutions for the automotive industry.

A part of that revolution is being the market leaders in battery technology, we have developed a number of battery options for the eDELIVER 9, by using various battery cooling methods, which allows us to reduce charging time (DC 45mins (5%-80%) AC 5hrs), extend battery life and increase the operating range.

The eDELIVER 9 comes with a 150Kw / 310Nm motor and a choice of 3 batteries configurations, 51.5Kwh, 72Kwh and 88.55 Kwh with A/C & DC charging as standard.

eDELIVER 9 MODEL

MAXUS eDELIVER 9

Standard Equipment

- 10 Inch Touch Screen
- 16" Alloy Wheels
- 236˚ Opening Angle (with Limited Gemel)
- 8-direction Adjustable Driver's Seat with armrest
- Adaptive Cruise Control (Optional)
- Adjustable non-Pretightening Belt
- Adjustable Overspeed Alarm
- Air conditioning
- Auto Latch (8mp/h)
- Automatic Emergency Braking System (Optional)
- Automatic Off Headlights
- B Column Full Steel Unglazed Partition
- Blind Area Monitoring System
- Body Colour Handles
- Central Lock
- Chrome Front MAXUS Hexagonal Signature Grill
- Cruise Control System
- Driver and Passenger Safety Belt Buckle Reminder
- Driver Seat Airbags
- Driving Model (Power/Normal/Eco)
- Duel Cargo light
- eCall
- Electric Front Windows
- Electric Power Steering
- Electric Side Step (Optional)
- ESP+EBA+BAS+HHC
- Front Body-Colour Bumper
- Front Double Curtain Airbag
- Front Passenger Airbags
- Ignition-off Auto Unlock
- Infotainment System
- Intelligent Anti-Theft Security System
- Lane Change Assist System
- Lane Departure Warning System (Optional)
- LED Day Time Running Light
- LED Headlights
- Multifunction steering wheel
- No Key Entry and Start System
- Outside Rearview Mirror (Natural Colour) Electric
- Parking Sensor (front and back)
- Parking Sensor (Rear Only)
- Passenger Adjustable non-Pretightening Belt
- Rear Bumper Nature Colour
- Rear Fog Lamp
- Reverse Camera with Guide Assist
- Seat Fabric (Knit/Gray)
- Single-Side Sliding Door
- Smoker Pack
- Tie Down Points (8)
- Tyre Pressure Monitoring System
- Reversing Camera
- Wear Resistant Floor

MAXUS
eDELIVER 9



BSD + LCA-BASE VERSION
The Lane Departure Warning System can determine whether the van is changing lane, even in low-visibility weather conditions. In the event of danger, an acoustic and visual signal alerts the driver of the potential impending threat.

HIGH BEAM RECOGNITION
This manages the activation and deactivation of the main beam headlights, increasing visibility and reducing the risk of dazzling when driving at night, automatically recognising vehicles driving in the opposite direction.

ELECTRIC HEATING SIDE MIRROR
Heated electrically operated door mirrors ensure great rear visibility in all weather conditions.

STRUCTURE
9.2m laser welding, the longest in the industry. 54% high strength steel and PHS. Accumulated 2 million kilometres of whole vehicle full environment test verification

MAXUS eDELIVER 9	MH		LH		LH
	Capacity (kWh) 51.5kWh	Capacity (kWh) 72kWh	Capacity (kWh) 51.5kWh	Capacity (kWh) 72kWh	Capacity (kWh) 88.55kWh
WEIGHTS					
GVM (kg)	3500	3500	3500	3500	3500
CVW (kg)	2300	2460	2340	2520	2640
Max front axle load (kg)	1950	1950	1950	1950	1922
Max rear axle load (kg)	1900	1900	1900	1900	1828
Payload (kg)	1200	1040	1160	980	860
Towing capacity (unbraked) (kg)	1500 (750)	1500 (750)	1500 (750)	1500 (750)	1500 (750)
ENGINE					
Drive Type	RHD/LHD	RHD/LHD	RHD/LHD	RHD/LHD	RHD/LHD
Number of seats	3	3	3	3	3
Rated power/peak power (kW)	70/150	70/150	70/150	70/150	70/150
Rated torque/Max. torque (N.m)	160/310	160/310	160/310	160/310	160/310
Max speed (km/h)	100	100	100	100	100
Acceleration 0-50km/h (sec)	5.7	5.7	5.7	5.7	5.7
DIMENSION					
Dimension :L *W *H (mm) (A,B, C)	5546×2062×2525	5546×2062×2525	5940×2062×2525	5940×2062×2525	5940×2062×2525
Wheel base (mm) (D)	3366	3366	3760	3760	3760
Length cargo space (mm)(E)	3019	3019	3413	3413	3413
Max width cargo space (mm) (F)	1800	1800	1800	1800	1800
Max width cargo space between wheel arches (mm) (G)	1366	1366	1366	1366	1366
Max height cargo space (mm) (H)	1792	1792	1792	1792	1792
Slide door width (mm) (I)	1269	1269	1269	1269	1269
Overhang Front (J) / Rear (k)	1020/ 1160	1020/ 1160	1020/ 1160	1020/ 1160	1020/ 1160
Slide door height (mm) (L)	1570	1570	1570	1570	1570
Turning radius (m)	6.7	6.7	7.4	7.4	7.4
Cargo volume (m^3)	9.7	9.7	11.0	11.0	11.0
CHARGING					
Charging time (AC 100%) h/POWER (11kW)	6	8	6	8	8.5
Charging time (DC 80%) min	40	40	40	40	45
Battery capacity (kwh)	51.5	72	51.5	72	88.55
energy consumption WLTP combined (kWh/100km)	29.44	31.06	29.44	31.06	31.03
RANGE					
WLTP city Miles / (kms)	147 (237)	179 (288)	147 (237)	179 (288)	219 (353)
WLTP Combined Miles / (kms)	112 (180)	146 (235)	112 (180)	146 (235)	185 (296)

MAXUS
eDELIVER 9









MAXUS

Your local dealer

HARRIS GROUP

HARRIS AUTOMOTIVE DISTRIBUTORS U.C.

FIND US @

MAXUS Disclaimer:
Images shown in this brochure are for illustration purposes only. Actual vehicles may differ and are subject to change.
Specifications, standard equipment, options, fabrics and colours are subject to change without notice.
Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost
or may not be available on certain models. Ask about availability of options and verify that the vehicle you ordered includes the equipment you ordered.
*5 year/125,000 mile warranty and 5 years roadside assistance. Terms and conditions apply.

MAXUS

MAXUS
eDELIVER 3
MAXUS
DELIVER 9

RETAIL PRICE UK

	Deliver 9 LH E6D 163ps	DELIVER 9 PV LH RWD LUX
MRRP	GBP £30,231.00	GBP £32,500.00
Factory Delivery	GBP £450.00	GBP £450.00
VAT	GBP £6,136.20	GBP £6,500.00
RFL and Registration Fee	GBP £315.00	GBP £315.00
OTR	**GBP £37,132.20**	**GBP £39,765.00**
	eDeliver3 L1 35kwh Battery	**e DELIVER 3 SWB 52.5kWh**
MRRP	GBP £30,000.00	GBP £33,000.00
Factory Delivery	GBP £450.00	GBP £450.00
VAT	GBP £6,090.00	GBP £6,600.00
RFL and Registration Fee	GBP £55.00	GBP £55.00
OTR	**GBP £36,595.00** (Subject to OLEV Grant at Current Rate)	**GBP £40,105.00** (Subject to OLEV Grant at Current Rate)

*SUBJECT TO GOVERNMENT GRANT APPROVAL.

THE PURE DRIVING EXPERIENCE

www.saicmaxus.co.uk

Call us on 0800 246 5888 | maxusfleet@saicmaxus.co.uk